



# Brocade

## 143-425 Exam

### Brocade Certified Fabric Administrator Gen 5

Thank you for Downloading 143-425 exam PDF Demo

You can Buy Latest 143-425 Full Version Download

<https://www.certkillers.net/Exam/143-425>

<https://www.certkillers.net>

---

**Question: 1**

---

You have been asked to analyze a Fibre Channel address.  
Which three sections make up the address? (Choose three.)

- A. area ID
- B. fabric controller ID
- C. node address
- D. name server ID
- E. Domain ID

---

**Answer: A, C, E**

---

---

**Question: 2**

---

Connecting two switches with the purpose of merging them into the same fabric is accomplished through which port type?

- A. F\_Port
- B. E\_Port
- C. EX\_Port
- D. N\_Port

---

**Answer: B**

---

---

**Question: 3**

---

Which well known address is used by a device to discover other devices in the fabric?

- A. FFFFFE
- B. FFFFFB
- C. FFFFFC
- D. FFFFFD

---

**Answer: C**

---

---

**Question: 4**

---

You have a server connected to a Brocade 6505 with a Fibre Channel address of 0x271434 that is causing problems.  
To which port on the switch is the server connected?

- A. 14
- B. 20
- C. 27

D. 34

---

**Answer: B**

---

---

**Question: 5**

---

You will be installing 48-port blades into your Brocade DCX Backbone and therefore shared area addressing will be used.

Which two fields are used to distinguish this value? (Choose two.)

- A. Domain ID
- B. area ID
- C. WWN
- D. node address

---

**Answer: B, D**

---

---

**Question: 6**

---

Which type of port will be initialized on a storage device upon attachment to a switch with successful port initialization?

- A. F\_Port
- B. E\_Port
- C. G\_Port
- D. N\_Port

---

**Answer: D**

---

---

**Question: 7**

---

You are connecting a cable between two Gen 5 Brocade 6250 switches, but the switches are not forming an ISL between them.

What is the reason?

- A. The ports are set to G\_Port.
- B. The ISL ports did not have enough buffer credits configured.
- C. The ports are set to U\_Port.
- D. The ports are set to D\_Port.

---

**Answer: D**


---

---

**Question: 8**

---

In the exhibit,



If all switches were operating in insistent Domain ID mode, what would be the result of enabling the ICL ports?

- A. DCX1 becomes the Principal switch.
- B. The four-switch fabric does not form.
- C. The four-switch fabric successfully forms.
- D. B5100 becomes the Principal switch.

---

**Answer: B**

---

### Question: 9

---

What are two characteristics of the Name Server? (Choose two.)

- A. The service is maintained on each Brocade switch.
- B. Its database contains three record types.
- C. It maintains the name, address, and capabilities of fabric connected devices.
- D. It maintains the name and address information of fabric connected devices.

---

**Answer: A, D**

---

---

**Question: 10**

---

Which well known address distributes Registered State Change Notifications (RSCNs) to registered nodes?

- A. FFFFA
- B. FFFFFB
- C. FFFFFC
- D. FFFFFD

---

**Answer: D**

---

CertKillers.net

## Thank You for trying 143-425 PDF Demo

To Buy Latest 143-425 Full Version Download visit link below

<https://www.certkillers.net/Exam/143-425>

## Start Your 143-425 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 143-425 preparation with actual exam questions.

<https://www.certkillers.net>